

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6202152".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/25 12:35
L2	1	"5615020".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/25 13:08
L8	4	(US-5594793-\$ or US-6157720-\$ or US-6202152-\$ or US-5615020-\$).did.	USPAT	OR	ON	2008/07/25 13:09
L9	2	8 and (audio video visual)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/25 13:09
S1	2766	@ad<"19990315" and (identification authentication) with storage with process\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 13:54
S2	288	(@ad<"19990315" and (identification authentication) with storage with process\$6) and encrypt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 16:15
S3	92	(@ad<"19990315" and (identification authentication) with storage with process\$6) and encrypt\$6 same blocks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 16:15
S4	10	(@ad<"19990315" and (identification authentication) with storage with process\$6) and encrypt\$6 same blocks with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 16:16
S5	1	"5881287".PN.	USPAT	OR	OFF	2003/12/02 16:17
S6	1	"5835601".PN.	USPAT	OR	OFF	2003/12/02 16:17
S7	102	713/193.ccls. and @ad<"19990315" and data with processing and (authentication identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 16:18

S8	90	(713/193.ccls. and @ad<"19990315" and data with processing and (authentication identification)) and encrypt \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 16:18
S9	17537174	@ad<"19990315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:46
S10	606	data adj process\$6 and encrypt\$5 and memory and fixed adj length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:47
S11	232	@ad<"19990315" and (data adj process\$6 and encrypt\$5 and memory and fixed adj length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:47
S12	70	(@ad<"19990315" and (data adj process\$6 and encrypt\$5 and memory and fixed adj length)) and memory same (authentication identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 13:01
S13	794	711/163.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:12
S14	469	711/163.ccls. and @ad<"19990315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 14:38
S15	287	(711/163.ccls. and @ad<"19990315") and (authenticat\$5 identif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:12
S16	122	(711/163.ccls. and @ad<"19990315") and (authenticat\$5 identif\$7) same (memory and process \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:13
S17	137	(711/163.ccls. and @ad<"19990315") and (authenticat\$5 identif\$7) same ((memory storage) and process\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:13

S18	21	((711/163.ccls. and @ad<"19990315") and (authenticat\$5 identif\$7) same ((memory storage) and process\$5)) and encrypt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:18
S19	0	@ad<"19990315" and processor and encyption adj (module engine unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:13
S20	0	@ad<"19990315" and processing adj (module engine unit) and encyption adj (module engine unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:23
S21	763	@ad<"19990315" and content and copyright\$2 and encryption and processing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:28
S22	105	@ad<"19990315" and content and copyright\$2 and encrypt\$4 and (processing processor) and fixed adj length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:29
S23	155	@ad<"19990315" and content and copyright\$2 and encrypt\$4 and (processing processor) and fixed adj (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:38
S24	72	@ad<"19990315" and content with protect\$5 and encrypt\$4 and (processing processor) and fixed adj (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 10:00
S25	4	"5,995,628".pn. "6,385,727".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 10:01
S26	6	(US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$).did.	USPAT	OR	OFF	2003/12/09 10:50
S27	17539062	@ad<"19990315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 13:03

S28	5111	(data adj block with fixed length and encrypt\$5 and @ad<"19990315") and processing and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 13:17
S29	2	@ad<"19990315" and fixed adj length with data same encrypt\$5 and cipher adj block adj chaining	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 13:06
S30	211	((data adj block with fixed length and encrypt\$5 and @ad<"19990315") and processing and memory) and pad with (bits bytes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 13:18
S31	14	((((data adj block with fixed length and encrypt\$5 and @ad<"19990315") and processing and memory) and pad with (bits bytes)) and cipher adj block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 13:32
S32	38	"4078152".URPN.	USPAT	OR	ON	2003/12/09 13:32
S33	1	"4078152".URPN. and pad with (bit bytes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 13:32
S34	7826	data adj block with fixed length and encrypt\$5 and @ad<"19990315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 09:55
S35	20	(data adj block with fixed length and encrypt\$5 and @ad<"19990315") and pad and cipher adj block adj chain\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 10:01
S36	14	(data adj block with fixed length and encrypt\$5 and @ad<"19990315") and padding and cipher adj block adj chain\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 10:01
S37	19	(data adj block with fixed length and encrypt\$5 and @ad<"19990315") and padded and cipher adj block adj chain\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 11:36
S38	1	((US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$).did.) and cbc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 14:37

S39	0	((US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$).did.) and cbc) and compressed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 14:37
S40	17539062	@ad<"19990315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 14:38
S41	600	@ad<"19990315" and compressed with data same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 14:47
S42	15	(@ad<"19990315" and compressed with data same encrypt\$5) and (storage memory) with (identif\$6 authentic\$7) with processor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 14:41
S43	49	@ad<"19990315" and compressed with data same (decompress expand) same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 15:14
S44	3	(@ad<"19990315" and compressed with data same encrypt\$5) and consecutive adj address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 15:15
S45	0	@ad<"19990315" and consecutive adj address\$3 same memory same encrypt\$5 and compress\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 15:18
S46	2	@ad<"19990315" and consecutive adj address\$3 same memory same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 15:18
S47	8	(US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$ or US-4078152-\$ or US-4386416-\$).did.	USPAT	OR	OFF	2003/12/10 16:04
S48	2	((US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$ or US-4078152-\$ or US-4386416-\$).did.) and identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 16:04

S49	2	"6158010".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 12:53
S50	17557621	@ad<"19990315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 10:15
S51	107	@ad<"19990315" and des. ti. and (chip microchip IC). ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 10:37
S52	250	@ad<"19990315" and des. ti. and (chip processor microprocessor asic microchip IC).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 10:38
S53	27	(@ad<"19990315" and des.ti. and (chip processor microprocessor asic microchip IC).ti.) and block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 10:21
S54	107	@ad<"19990315" and "des".ti. and (chip microchip IC).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 10:25
S55	250	@ad<"19990315" and "des".ti. and (chip processor microprocessor asic microchip IC).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 10:27
S56	3	@ad<"19990315" and des!.ti. and (chip microchip IC).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 10:39
S57	11	@ad<"19990315" and des!.ti. and (chip processor microprocessor asic microchip IC).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 12:07
S58	245	@ad<"19990315" and 380/29.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 12:07

S60	17580970	@ad< "19990315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:19
S61	22	S60 and stor\$5 with encrypted with data and expand\$5 with compressed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:25
S62	1954	@ad< "19990315" and encrypt\$5 same compress \$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 11:48
S63	349	@ad< "19990315" and encrypt\$5 same compress \$5 same block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 13:31
S64	3	"6904416".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 12:51
S65	2	"6289460".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 12:51
S66	30	@ad< "19990315" and encrypt\$5 same compress \$5 same block with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:25
S67	0	@ad< "19990315" and encrypt\$5 same compress \$5 same block and straddle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 13:32
S68	86	@ad< "19990315" and encrypt\$5 same compress \$5 same block and cross	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 13:32
S69	2	@ad< "19990315" and encrypt\$5 same compress \$5 same block and cross with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 13:32

S70	0	@ad<"19990315" and encrypt\$5 same compress \$5 same block with overlap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:25
S71	0	@ad<"19990315" and encrypt\$5 same compress \$5 same block with overlap \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:26
S72	20	@ad<"19990315" and encrypt\$5 same compress \$5 same block with size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 10:48
S73	462	@ad<"19990315" and compress\$3 near2 encrypted	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 09:27
S74	76	@ad<"19990315" and compress\$3 near2 encrypted adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 09:27
S75	236	@ad<"19990315" and read with block and compressed and encrypted	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 13:59
S76	154	@ad<"19990315" and read near4 block and compressed and encrypted	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 13:59
S77	11	@ad<"19990315" and read near4 block same compressed and encrypted	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:06
S78	31	@ad<"19990315" and ("2" two) adj blocks same ("1" one) adj compress\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:37
S79	0	@ad<"19990315" and ("2" two) near2 block with encrypt\$5 same ("1" one) near2 compress\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:07

S80	40942	@ad<"19990315" and compress\$5 with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:37
S81	8691	@ad<"19990315" and compress\$5 with block same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:38
S82	7526	@ad<"19990315" and compress\$5 with block with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:38
S83	334	@ad<"19990315" and compress\$5 with block with data and reduc\$5 with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:43
S84	58	@ad<"19990315" and compress\$5 with block with data and reduc\$5 with access\$3 and read with compressed with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:43
S85	72	@ad<"19990315" and compress\$5 with block with data and reduc\$5 with access\$3 and (read load\$2 accessed) with compressed with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:43
S86	97	@ad<"19990315" and compress\$5 with block with data and reduc\$5 with access\$3 and (read load\$2 access\$5) with compressed with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:43
S87	107	@ad<"19990315" and encrypt\$5 near3 compressed adj (data block packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 14:30
S88	605	hino	EPO	OR	ON	2006/08/14 10:49
S89	202	@ad<"19990315" and compress\$3 near2 data same encrypt\$5 near2 compressed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 15:32

S90	27	@ad<"19990315" and compress\$3 near2 data same encrypt\$5 near2 compressed same block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 15:34
S91	1	"6157720".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/07/30 17:07
S92	1106	@ad<"19990315" and compression same data same half	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 12:21
S93	346	@ad<"19990315" and compression with data with half	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 12:29
S94	239	@ad<"19990315" and read with block and compressed and encrypted	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 12:29
S95	156	@ad<"19990315" and read near4 block and compressed and encrypted	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 12:29
S96	10	@ad<"19990315" and compression with data with half same huffman	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 12:30
S97	1	"5615020".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/12/21 12:50

7/ 25/ 08 1:58:17 PM

C:\Documents and Settings\analven\My Documents\EAST\Workspaces\09-524358.wsp